

Overview

10GBASE XENPAK modules offers a wide variety of 10 Gigabit Ethernet connectivity options for data center, enterprise wiring closet, and service provider transport applications .

Main features of Cisco 10GBASE XENPAK modules include:

- Supports 10GBASE Ethernet
- Hot-swappable input/output device plugs into an Ethernet XENPAK port of a Cisco switch or router to link the port with the network
- Provides flexibility of interface choice
- Supports “pay-as-you-populate” model
- Supports the Cisco quality identification feature that enables a Cisco switch or router to identify whether the module is a Cisco certified and tested XENPAK module
- Interoperable with respective Cisco 10-Gigabit X2, XFP and SFP+ modules on the same link

Quick Specification

| | |
|--------------------------|-----------------|
| SKU | XENPAK-10GB-LR+ |
| Wavelength (nm) | 1310 |
| Cable Type | SMF |
| Core Size (micron) | G.652 |
| Modal Bandwidth (MHz/km) | None |
| Cable Distance | 10 km |

Product Details:

The Front Panel:





[Get a Quote](#)

Optical Transmit and Receive Specifications for IEEE 802.3 standard compliant modules:

| | | |
|--|---------------------------------------|--------------|
| Product | Cisco XENPAK-10GB-LR+ | |
| Type | 10GBASE-LR 1310 nm SMF | |
| Transmit Power (dBm) | Maximum | 0.5 |
| | Minimum | -8.2 |
| Receive Power (dBm) | Maximum | 0.5 |
| | Minimum | -14.4 |
| Transmit and Receive Wavelength range (nm) | Transmit | 1260 to 1355 |
| | Receive | 1260 to 1565 |

Get more information:

Do you have any question about the XENPAK-10GB-LR+?

Contact us now via e-mail: info@hi-network.com

Specific Data Sheet:

| | |
|------------------------------|-------------------------|
| Product Number | XENPAK-10GB-LR+ |
| Wavelength | 1310nm |
| Connector | SC duplex |
| Media | SMF |
| TX Power | -8.2~0.5dBm |
| Commercial Temperature Range | 0 to 70°C (32 to 158°F) |
| Max Data Rate | 10Gbps |
| Max Cable Distance | 10km |
| Optical Components | FP 1310nm |
| DOM Support | Yes |
| Receiver Sensitivity | < -16.5dBm |





Want to Buy

[Get a Quote](#)[Learn More](#) about Hi-Network[Search](#) our Resource Library[Follow](#) us on LinkedInContact for [Sales or Support](#)

Contact HI-NETWORK.COM For Global Fast Shipping

HongKong Office Tel: +00852-66181601

HangZhou Office Tel: +0086-571-86729517

Email: info@hi-network.com

Skype: echo.hinetwork

WhatsApp Business: +8618057156223

