

Overview

ZTE GUFQ Uplink Card offers 4-port optical interface Ethernet uplink card. Four optical interfa

ZTE C300 stands for unified next-generation xPON platform architecture, smooth evolution, protection of existing network investment, and enhanced competitive advantage. The unified platform supports EPON / GPON / 10GE PON / NG PON / P2P converged access to meet the needs of full-service development and smooth and seamless evolution.

Product Details:

The Front Panel:



GUFQ Service Board Product Features:

- Diverse interfaces: P2MP, P2P and TDM interfaces can also be provided for business and residential application
- Enhanced multicast function: meets mass IPTV roll-out
- Higher security assurance: ONT authentication, user ID identification, port isolation, address binding, packet filtering, and broadcast packet limitation.
- Service differentiation: Comprehensive QoS mechanisms for voice, video and high speed Internet services.
- High reliability: key parts redundancy; support Type B and Type C protection for PON downlink and LACP/ STP/UAPS/ERPS for uplink
- Unified platform for GPON/XGPON1 and P2P
- Large capacity and high density: meet operators' requirements for mass optical access roll-out
- Future-proof: support NG-PON, like XGPON1, TWDM PON

[Get a Quote](#)

- Abundant service support capability: IPTV, VoIP, HSI, VPN, mobile backhaul, etc

Get more information:

Do you have any question about the GUFQ?

Contact us now via e-mail: info@hi-network.com

Specific Data Sheet:

Control and switching cards	SCTM – Suitable for XGPON1, supports 16 port GPON cards, higher switching power, 4x 10GE uplink interface, 2x management interface
	SCXN – Supports 16 port GPON cards, 4x GE uplink interface, 2x management interface
	SCXM– supports 480 Gbps switching capacity and 32 K MAC address table.
	SCXL – No uplink interfaces, 2x management interface
GPON cards	GTXO – 4/8 XGPON1 ports, split ratio up to 1:256
	GTGO – 8 GPON ports, split ratio up to 1:256
	GTGH – 16 GPON ports, split ratio up to 1:128
	FTGK – 48 P2P ports (WDM) or 24 GE ports (separated fibres for uplink/downlink)
Uplink cards	GUFQ – 4x SFP (GE)
	GUSQ – 2x SFP (GE), 2x RJ45 (GE)
	XUTQ – 4x SFP (10GE)
	HUTQ – 4x SFP (2x10GE, 2xGE)
	HUVQ – 4x SFP (2x10GE/GE, 2xGE/FE)

Want to Buy

[Get a Quote](#)



[Learn More](#) about Hi-Network



[Search](#) our Resource Library



[Follow](#) us on LinkedIn



Contact for [Sales or Support](#)



Contact HI-NETWORK.COM For Global Fast Shipping

HongKong Office Tel: +00852-66181601

HangZhou Office Tel: +0086-571-86729517

Email: info@hi-network.com

Skype: echo.hinetwork

WhatsApp Business: +8618057156223

